

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	179157	martin.in. tjan.in. gaston.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:07
S2	569	tray with access\$6 with lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:07
S3	11	"4332464".pn. "5157448".pn. "5873276".pn. "6470155".pn. "20010022665".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 21:09
S4	15368	tray with access\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:13
S5	7303191	(pass\$code (pass code) id identificat\$4 (access \$3 adj4 (code id identificat\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:16
S6	19134	(pass\$code (pass code) id identificat\$4 (access \$3 adj4 (code id identificat\$4))) with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:16
S7	316	job with (code id identificat\$4) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:20
S8	31	S6 and S7	USPAT	OR	OFF	2009/01/15 21:21
S9	0	S3 and S7	USPAT	OR	OFF	2009/01/15 21:21

S10	581	access\$4 with lock\$4 with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:56
S11	591	S2 or S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:57
S12	1048	(access or permi\$5) with paper with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:58
S13	4	S7 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:59
S14	316	((job with (code id identificat\$4)) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:04
S15	4	S12 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:04
S16	0	S15 not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:04
S17	603	job with (code id identificat\$4) and ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:05

S18	12	S12 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:05
S19	175	S2.ti. or S2.clm. or S2.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:10
S20	1	S17 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:10
S21	175	S2 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:10
S22	11	S2.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:18
S23	12	S10.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:20
S24	2	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:20
S25	1365	user with (access\$4 allow \$4 permis\$5) with (tray paper sheet) with (size type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:25

S26	13	S17 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:25
S27	33	S12 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:35
S28	32	S27 not S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:35
S29	6	"5534974".pn. "7106641".pn. "6850337".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S30	604	job with (code id identificat\$4) and ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S31	2	S29 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S32	1049	(access or permi\$5) with paper with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S33	316	(job with (code id identificat\$4)) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18

S34	4	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S35	170444	match\$3 with (id identification number passcode (pass adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:25
S36	0	S29 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:25
S37	8437042	(id identification number passcode (pass adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:25
S38	3	S29 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:26
S39	0	"20050088679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:54
S40	2	"20050088679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:54
S41	2	S40 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:54

S42	1	S40 and (character adj4 string)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:55
S43	1	S40 and (alphanumeric adj4 string)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:55

1/21/2009 7:31:45 AM

C:\Documents and Settings\ggarcia\My Documents\EAST\Workspaces\10692375.wsp